

MBR-SERIES MIXED DI CARTRIDGES

AXEON® MBR-Series Cartridges utilize our 2.5" or 4.5" diameter configurations that fit most standard size filter housings. **AXEON MBR-Series Cartridges** feature a Gel Poly Styrene Cross-linked with DVB mixed bed resin. The DI resin used in these cartridges has been specifically developed to reduce total dissolved solids, including calcium and magnesium carbonate.

AXEON MBR-Series Cartridges provide a solution for a variety of applications that need the removal of ionic contaminants. These cartridges act as excellent post-treatment for reverse osmosis systems as well as being effective for applications in the pharmaceutical, semiconductor, medical and industrial fields.



MATERIALS OF CONSTRUCTION

• Cartridge Body: High-density Polyethylene (HDPE)

• End Caps: Polypropylene

• Brackets on End Caps: Polypropylene

• Filter Pad on End Cap: Polypropylene

• Gasket: Thermoplastic Elastomer (TPE)

• Sediment Filter: Polypropylene (5 Micron Nominal Rating)

FEATURES AND BENEFITS

- High Capacity Flow Rates
- Customizable to Fit Any Application

SPECIFICATIONS

Model	Description	Diameter (in / mm)	Length (in / mm)	Volume (cubic ft.)	CaCO3 Capacity (grains)
MBR-25-10	CARTRIDGE, DI, MIXED BED, 2.5" X 10", MBR–25–10, AXEON	2.50 / 63.50	9.75 / 247.6	0.03	360 @ .5 gpm
MBR-25-20	CARTRIDGE, DI, MIXED BED, 2.5" x 20", MBR–25–20, AXEON	2.50 / 63.50	20 / 508	0.06	780 @ .5 gpm
MBR-45-10	CARTRIDGE, DI, MIXED BED, 4.5" x 10", MBR-45-10, AXEON	4.50 / 114.3	9.75 / 247.6	0.09	1100 @ 1 gpm
MBR-45-20	CARTRIDGE, DI, MIXED BED, 4.5" x 20", MBR-45-20, AXEON	4.50 / 114.3	20 / 508	0.18	2300 @ 1.5 gpm