

C-20 HIGH PH CLEANER

#1: IDENTIFICATION

Product Identifier

- Trade name: C-20
- Manufacturing Part Numbers:
 - 206719
 - 206720
 - 206721
- Synonyms: N/A

Recommended Use

Reverse osmosis membrane cleaner

Supplier Details

- Manufacturer/Supplier: AXEON[®]
 Water Technologies
 - 40980 County Center Drive Temecula, CA 92591
 - Phone: 1-800-320-4074
 - Website: AXEONwater.com
 - Hours of Operation: Mon. through Fri., 7:30 a.m. - 4:30 p.m.

Emergency Telephone Number

- CHEMTREC ALERT
 - 1-800-424-9300 (North America)
 - 1-703-527-3887 (International)

#2: HAZARD IDENTIFICATION

Classification of the Substance or Mixture

Health: Acute Toxicity–Oral Category 4

Health: Skin Corrosive–Category 1B

Health: Eye Corrosive–Category 1

Health: STOT-SE-Category 3

Environmental: Acute Aquatic–Category 3

Physical: Corrosive to Metals-Category 1

Physical: Oxidizing Solid-Category 3

Label Elements

• Hazard pictograms:



Hazard Statements

DANGER: Causes serious eye damage.

DANGER: Causes severe skin burns and eye damage.

DANGER: May cause respiratory irritation or drowsiness or dizziness.

DANGER: May be corrosive to metals.

DANGER: Harmful if swallowed.

DANGER: May intensify fire; oxidizer.

#2: HAZARD IDENTIFICATION (CONT.)

Precautionary Statements

Wear protective gloves, clothing and eye/face protection.

Do not breathe dust, spray, or mist.

If on skin (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If inhaled: Move person to fresh air and keep comfortable to help them breathe.

If swallowed or inhaled: Call poison center or physician if you feel unwell.

Wash exposed areas thoroughly after handling.

Do not eat, drink or smoke when using this product. For specific treatment, see section 4 (First Aid Measures).

Store container tightly closed in cool/ well-ventilated place.

Immediately call a poison center or physician.

Wash contaminated clothing before reuse. Store locked up.

Keep away from heat.

Keep/store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. In case of fire: Use media appropriate for primary cause of fire. Absorb spillage to prevent material damage.

Keep only in original container.

Store in a corrosive resistant HDPE/PE/PP container with a resistant inner liner.

Only use outdoors or in a well-ventilated area.

Dispose of contents/container in accordance with Local/State/Federal regulations.

#3: COMPOSITION/INFORMATION ON INGREDIENTS

• The specific chemical identities and exact percentages of composition have been withheld as a trade secret.

#4: FIRST AID MEASURES

Description of First Aid Measures

- Inhalation:
 - For nasal irritation, remove exposed person from source of exposure to fresh air.
 - If not breathing, clear airway and start cardiopulmonary resuscitation (CPR).
 - Get immediate medical attention.

#4: FIRST AID MEASURES (CONT.)

- Skin contact:
 - Itching or irritation of the skin.
 - Immediately flush the skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
 - Do not remove clothing if it sticks to skin.
 - Use alkaline soap if available.
 - Wash contaminated clothing before reuse.
- Eye contact:
 - Eye irritation.
 - Flush immediately with large amounts of water for at least 30 minutes.
 - Eyelids should be held away from the eyeball to ensure thorough rinsing.
 - Get immediate medical attention.
- Ingestion:
 - Do NOT induce vomiting.
 - Give large quantities of milk and water.
 - Never give anything by mouth to an unconscious person.
 - Call a physician immediately.

#5: FIRE FIGHTING MEASURES

Extinguishing Media

- Use media appropriate to primary cause of fire.
- Use water to cool fire-exposed containers, structures and to protect personnel.
- Use water to dilute spills and to flush them away from sources of ignition.

Firefighting Procedures

- Use water spray to cool containers exposed to fire.
- Minimize exposure.
- Do not breathe fumes.
- Contain run-off.
- A respirator that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements should be worn if conditions warrant the use of a respirator.

Unusual Fire and Explosion Hazards

• Product is an oxidizer; keep away from heat and/or combustible materials.

Combustion Products

• Will emit toxic gases and form corrosive vapors and potassium/nitrogen oxides upon thermal decomposition.

#6: ACCIDENTAL RELEASE MEASURES

Personal Protective Equipment

- Protective clothing, including chemical splash goggles, latex, nitrile, butyl rubber full-length gloves, rubber apron made of nitrile or butyl rubber and rubber overshoes must be worn during spill clean-ups and deactivation of material.
- If this material comes into contact with the skin during clean-up operations, immediately remove all contaminated clothing and wash exposed skin with soap and water.
 - See section 4, First Aid Measures, for further information.

#6: ACCIDENTAL RELEASE MEASURES (CONT.)

Land Spill

- Wearing recommended protective clothing and equipment, dike spill with soil, sand, or compatible commercial absorbent.
- Remove remaining liquid with a pump, vacuum truck, or absorb liquid in sand or commercial absorbent.
- Place waste in approved containers for disposal.
- Dispose waste according to Federal, State, and Local regulations.

Water Spill

- Wear protective clothing and equipment.
- Stop flow.
- Dike contaminated water and remove for disposal and/or treatment.
- Notify proper authorities and all downstream users if possible.
- Dispose of solid waste according to Federal, State, and Local Regulations.

#7: HANDLING AND STORAGE

Handling

- Do not get in eyes, on skin or on clothing.
- Do not breathe dust or mists.
- Keep container closed.
- Use only with adequate ventilation.
- Use good hygiene practices.
- Wash hands before eating, drinking or smoking.
- Remove contaminated clothing and clean before reuse.

Storage Conditions

- Store in tightly closed containers in cool, dry, well-ventilated area away from incompatibles.
 - The maximum storage temperature for this material is 55 °C / 131 °F.
 - The minimum storage temperature for this material is 0 °C / 32 °F.
- Do not store this material in containers made of steel.

#8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Limits

- Component: Sodium Hydroxide
- OSHA PEL (TWA): 2 mg / m³
- Cal-OSHA (8-hour, TWA, ceiling): 2 mg / m³
- ACGIH TVL (ceiling): 2 mg / m³

Engineering Controls

- Use local exhaust ventilation at the point of dust or mist evolution.
- Have safety shower and eye wash station available where exposure can occur.

Respiratory Protection

- A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator use.
- Use air purifying respirators within use limitations associated with the equipment or else use supplied air-respirators.
- If air-purifying respirator use is appropriate, use a respirator with organic/acid gas cartridge and dust/mist pre-filters.

#8: EXPOSURE CONTROLS/ PERSONAL PROTECTION (CONT.)

- For emergencies or instances where the exposure levels are not known, use a full-face piece positive-pressure air supplied respirator.
 - Warning: air purifying respirators do not protect workers in oxygen deficient atmospheres.

Skin Protection

- Wear impervious protective clothing.
- Use butyl (or Teflon for limited contact) gloves, boots, and coveralls.
- Remove gloves after use.
- Wash hands with soap and water.

Eye Protection

 Splash goggles and/or face shield (ANSI Z87.1 or approved equivalent).



#9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

- Appearance: White powder
- Odor: None
- Density: Approximately 9 lbs./gallon
- Specific Gravity: N/A
- Percentage Volatile: 1% Water–Max
- Evaporation Rate: N/A
- pH of Solution: 10.5-12

- Water Solubility: Complete
- Boiling Point: N/A
- Melting/Freezing Point: N/A
- Vapor Pressure: N/A
- Vapor Density: Same as air
- Auto-ignition Temperature: N/A
- Flash Point: N/A
- Flammability: N/A
- Flammable Limits:
 - LEL (Lower Explosive Limits): N/A
 - UEL (Upper Explosive Limits): N/A

#10: STABILITY AND REACTIVITY

Stability/Incompatibility

- Incompatible with strong acids.
- Stable under normal storage conditions; see section 7 (Handling and Storage) for specific conditions.

Hazardous Reactions/Decomposition Products

• Will emit toxic gases and form corrosive vapors and potassium/nitrogen oxides upon thermal decomposition.



#11: TOXICOLOGICAL INFORMATION

Acute Toxicity Information

- Oral (LD50) Rat-1,854 mg / kg
- Dermal (LD50) Rabbit-3,468 mg / kg
- Signs and symptoms of overexposure:
 - Eye and nasal irritation, headache, dizziness, nausea, vomiting, difficulty breathing, weakness, itching or burning of the skin.
- Acute Affects: Harmful if swallowed.
- Eye Contact: Will cause serious or permanent eye damage.
- Skin Contact: Will cause severe burns and/or reddening.
- Inhalation: May cause severe respiratory irritation.
- Ingestion: May cause burns to the gastric/ intestinal mucosa.
- Chronic Effects: None known.
- Medical Conditions Aggravated by Exposure: Conditions of the lungs may be aggravated by exposure.

#12: ECOLOGICAL INFORMATION

- EC50 (Daphnia magna) = 8 mg / L/48 hr.
 EC50 (Danio Rerio) = 25 mg / L/96 hr.
- Bioaccumulation potential is low, as the product is considered biodegradable.

#13: DISPOSAL CONSIDERATIONS

- Dispose of in accordance with Federal, State, and Local regulations and permits.
- Refer to state and local requirements for any additional requirements, as these may be different from Federal laws and regulations.
- Chemical additions, processing, or otherwise altering this material may make management information presented in the SDS incomplete, inaccurate or otherwise inappropriate.

#14: TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT)

- Proper Shipping
 - Name: Oxidizing Solid, Corrosive, N.O.S. (Sodium Perborate, Sodium Hydroxide)
 - Hazard Class: 5.1, 8
 - Hazardous Ingredients: Sodium Perborate, Sodium Hydroxide
 - UN/NA Number: 3085
 - Packing Group: II
 - Labels Required: Corrosive, Oxidizing

International Maritime Organization (IMDG)

- Proper Shipping
 - Name: Oxidizing Solid, Corrosive, N.O.S. (Sodium Perborate, Sodium Hydroxide)
 - Hazard Class: 5.1, 8
 - Hazardous Ingredients: Sodium Perborate, Sodium Hydroxide
 - UN/NA Number: 3085
 - Packing Group: II
 - Labels Required: Corrosive, Oxidizing

#15: REGULATORY INFORMATION

U.S. Federal Regulations

- Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):
 - C-20 has a reportable quantity of 1,000 lbs.
 - If appropriate, immediately report to the National Response Center (800-424-8802) as required by U.S. Federal Law. Also contact appropriate state and local regulatory agencies.
- Toxic Substances Control Act (TSCA):
 - All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.
- Clean Water Act (CWA):
 - C-20 is not a hazardous substance under the Clean Water Act. Consult Federal, State and local regulations for specific requirements.
- Clean Air Act (CAA):
 - C-20 is not a hazardous substance under the Clean Air Act. Consult Federal, State and local regulations for specific requirements.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

- SARA Section 313 Notification (40CFR 372):
 - None of the components are subject to the reporting levels established by SARA Title III, Section 313.

State Regulations

- California Prop. 65 Components:
 - This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
- Pennsylvania Right To Know Components:
 - Sodium peroxometaborate monohydrate -CAS # 10332-33-9
 - Tetrapotassium pyrophosphate -CAS # 7320-34-5
- New Jersey Right To Know Components:
 - Sodium peroxometaborate monohydrate -CAS # 10332-33-9
 - Tetrapotassium pyrophosphate –CAS # 7320-34-5

International Regulations

- Canadian Environmental Protection Act:
 - All of the components of this product are included on the Canadian Domestic Substances list (DSL).

Canadian Workplace Hazardous Materials Information System (WHMIS):

- E=Corrosive
- This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

European Inventory of Existing Chemicals (EINECS):

• All of the components of this product are included on EINECS.



#15: REGULATORY INFORMATION (CONT.)

	• EU Risk (R) and Safet	v (S) Phrases:
--	-------------------------	----------------

R34	Causes burns.
R36/37/38	Irritating to eyes, respiratory system and skin.
R41	Risk of serious damage to eyes.
R65	Harmful-may cause lung damage if swallowed.
S9	Keep container in a well-ventilated place.
S24/25	Avoid contact with skin and eyes.
S27/28	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S45	In case of accident or if you feel unwell, seek medical advice immediately (section 4).
S53	Avoid exposure-obtain special instructions before use.
S57	Use appropriate container to avoid environmental contamination.

#16: OTHER INFORMATION

Disclaimer: This SDS is provided as an information resource only. This document should not be taken as a warranty for which AXEON Water Technologies assumes legal responsibility. The information contained within this SDS was provided by raw materials and other reliable sources. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.